(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 5 August 2004 (05.08.2004)

PCT

(10) International Publication Number WO 2004/065113 A1

(51) International Patent Classification⁷: B65H 39/14

B31F 1/07,

(21) International Application Number:

PCT/IT2003/000849

(22) International Filing Date:

22 December 2003 (22.12.2003)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: FI 2003 A 000015 17 Jan

17 January 2003 (17.01.2003) IT

(71) Applicant and

(72) Inventor: PERINI, Fabio [IT/IT]; Via S. Francesco, 1, I-55049 Viareggio (IT).

(74) Agent: MARTINI, Lazzaro; Studio Brevetti, Ing. Dr. Lazzaro Martini S.R.L., Via dei Rustici 5, I-50122 Firenze (IT). (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

[Continued on next page]

(54) Title: APPARATUS AND METHOD FOR CARRYING OUT A CONTINUED UNION OF PAPER WEBS



(57) Abstract: Apparatus for continually joining paper webs, comprising means able to compress the said webs (5, 6) onto an impression cylinder or roller (4) while the webs advance toward an outlet section of the apparatus, characterized in that said compressive means include a roller or cylinder (2) which exhibits a hard outer surface (20) supported by an underlying elastic surface (23).



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

15

20



TITLE


"APPARATUS AND METHOD FOR CARRYING OUT A CONTINUED UNION OF PAPER WEBS"

SPECIFICATION

5 The present invention refers to an apparatus and a method for continually joining paper webs.

An apparatus usually employed for a continuous union of paper webs comprises, with reference to the outline of Fig. 1, two pairs of rollers and cylinders (A, B; C, D) for embossing paper webs (E, F), a roller (G) for distributing a given glue which transits onto the paper amount οf correspondence of one of the embossing rollers, and an impression roller with rubber-coated surface (H) positioned diametrically opposite to the gluing roller (G): the paper webs (E, F) result embossed as they transit between the the corresponding embossing rollers and surfaces of as they pass through the regions cylinders, that is, indicated by "X" and "Y" in Fig. 1, and become definitively glued by their passing onto the embossing roller (B) and because of the pressure exerted thereon by the rubber-coated roller (H). In Fig. 1, the arrows (VE, VF, VA) indicate the directions of advancement of web (E), web (F) and of the exiting coupled webs (AC).

One drawback relating to this operating technique lies in the fact that, because of the very compliance of the material that sheathes the output pressure roller (H), and of the pressure that this roller exerts on the first embossing cylinder (B), the material of the pressure roller penetrates the surface cavities of the cylinder. As a consequence, a mutual squashing of the two paper webs occurs throughout the space within which the coating material of the pressure roller fits into the cavities of the embossing cylinder (as



shown in Fig. 2A) and, accordingly, a kind of re-embossing is produced with a noticeable roughness on one of the two sides of the output material (see Fig. 2B, wherein "L" indicates the deformations in the coupled webs with respect to the ideal profile). Another drawback related to the use of this lies in the of apparatus fact that the type distribution's system brings about significant expenses due to the cost of the mechanical members and of the adhesive, and to the difficulty in keeping the system clean.

- 10 Another device commonly used for continually joining paper webs comprises a group downstream of the embossing rollers and cylinders according to the outline of Fig. 3A consisting of a smooth roller having a hard surface (Z) and a set of small rollers with surface reliefs (W) so disposed that the outputting coupled webs will pass, by resting on the smooth roller (Z), under the small rollers (W). In this way, the reliefs of the small rollers will cause the mutual squashing of the two paper webs and, thereby, their union, without using any adhesive whatsoever.
- 20 One drawback related to such a device lies in that, correspondence of the regions interested by the action of the small rollers, the embossing previously produced is lost and, on the coupled webs exiting from the device, two or more developed therealong result markedly visible 25 illustrated in Fig. 4 where "AC" indicates the coupled webs, "AM" indicate the above said areas, and an array of dots indicates the embossing operated upstream of the group and including the small rollers). In conclusion, also this known operating technique implies a partial but anyway evident lost 30 of the effects derived by the embossing of the two webs which make up the coupled webs. A further drawbacks related to the use of this type of device is that the small rollers tend to

25



vibrate when a given operating speed of the system has been exceeded and, thus, they tend to wear out prematurely, so that an upper limit is to be provided on the operable speed which results incompatible with the current production requirements. The said marks (AM) do not result, more often than not, perfectly centered with respect to the rolls formed when cutting the log of the coupled webs, which contributes to make the same marks (AM) still more unappealing.

The main object of the present invention is to overcome the above said drawbacks.

This result has been achieved, according to the invention, by providing an operating process and an apparatus having the characteristics indicated in the independent claims. Further characteristics being set forth in the dependent claims.

- The present invention makes it possible to carry out a continued union of two paper webs, with or without a previous embossing and with or without the use of glue, without producing undesired surface deformations of the coupled webs which, therefore, result of a better quality. Besides, an apparatus according to the invention is easy to make, costeffective and reliable even after a prolonged service life.
 - invention will be best understood by anyone skilled in the art from a reading of the following description in conjunction with the attached drawings given as a practical exemplification of the invention, but not to be considered in a limitative sense, wherein:


These and other advantages and characteristics of the

- Fig. 1 is a simplified functional diagram of a known device;
- 30 Figs. 2A and 2B show two enlarged details of Fig. 1 relating to means for the stabilization of the coupled webs;



- Fig. 3A is a diagram similar to that of Fig. 1 but relating of another known device;
- Figs. 3B and 3C show two enlarged details of Fig. 3A;
- Fig. 4 is a schematic plan view of the coupled webs on output from de device of Fig. 3A;
 - Fig. 5A is a diagram similar to that of Figs. 1 and 3A but relating to an apparatus according to the present invention;
 - Figs. 5B and 5C two enlarged details of Fig. 5A;
- Figs. 6A-6D show in front view different embodiments of a 10 stabilizing cylinder for the apparatus according to the invention;
 - Fig. 7 is a schematic view in diametrical section of the roller (2);
- Fig. 8 is a diagram relating to another possible use of an apparatus according to the present invention;
 - Fig. 9 is a diagram relating to a further possible use of an apparatus according to the present invention;
 - Fig. 10A is a diagram relating to yet another possible use of an apparatus according to the present invention;
- 20 Fig. 10B is a schematic, partial plan view of the product on output from the system of Fig. 10A;
 - Fig. 11A is a schematic plan view of an impression roller or cylinder to be used in association with an apparatus according to the invention;
- 25 Fig. 11B is a section view taken on line M-M in Fig. 11A;
 - Fig. 12A is a schematic plan view of a further impression roller or cylinder to be used in association with an apparatus according to the invention;
 - Fig. 12B is a section view taken on line N-N in Fig. 12A.
- 30 Reduced to its basic structure, and reference being made to figures 5A-7 of the attached drawings, an apparatus according to the invention can be used in association with means for

25



the embossing of the coupled webs (1) and is made up of a roller (2) having an outer surface (20) applied upon an elastic support surface: the said roller (2) being engaged, free of rotating about its longitudinal axis, with a supporting fixed structure (not shown in the figures of the attached drawings for the sake of simplicity).

According to the example diagrammatically shown in Fig. 5A, the said embossing means comprise an operating group, of a type known to those skilled in the art, having two pairs of embossing rollers and cylinders (3, 4; 30, 40) associated with a corresponding motor member (not shown) to drive them into rotation about respective longitudinal axes, as indicated by the arrows (R) in Fig. 5A.

According to the example illustrated in Fig. 7, the said roller (2) comprises a rigid cylinder (21), made of steel for example, with coaxial end hubs (22) which define a shaft to be idly supported by a fixed structure (not shown). Said cylinder (21) is provided with an elastic coating (23), for example of "Neoprene" rubber having a hardness ranging from 60 to 90 Shore. Applied on said coating (23), for example by a "Loctite" adhesive, is a hard surface (20) made of steel, for example.

Said hard surface (20) can be formed, for example, by applying a helicoidal element having preset pitch and direction, as shown in Figs. 6A-6D. In case of the example of Fig. 6D, the screw pitch is preset so that the hard surface (20) will fully cover the elastic surface (23).

In practice, the surface (23) acts as an elastic support for the surface (20) which is laid on it.


means, so that the coupled webs (1) result, before leaving

15

20

25

30



the system, interposed between the embossing cylinder (4) and the roller (2).

The roller (2) is associated with hydraulic means, of a type known to those skilled in the art, which keep the same roller all the time in abutment against the cylinder (4).

The cylinder (4) and roller (2) cooperate with each other in compressing the two webs (5, 6) which form the coupled webs (1). More particularly, the two webs are squashed, while advancing towards the outlet, between the surface of cylinder (4) and the hard surface (20) of roll (2), thereby giving rise to a coupling of the webs which is sufficiently stable for the uses this type of material is intended for, even if no adhesive is employed between the two paper webs. The hardness of the surface (20) of roller (2) ensures that, in the above said final coupling of the two webs, the same surface will not deform to such an extent that could make it penetrate the cavities or impressions of cylinder (4), so that the embossing previously operated will not undergo any undesired alteration. Besides, as the said surface (20) is mounted on an elastic support, any vibration possibly derived by the cooperation between the rotating cylinder (4) and

When it is desired that the above described effect will interest the whole width of the coupling, the length of roller (2) is made substantially equal to that of cylinder (4). If such effect has to concern only a portion of the coupling, the roller (2) can be shorter than the cylinder (4).

roller (2) is substantially suppressed.

It will be appreciated that the said webs (5, 6) may be either of individual or multiple type.

The above described apparatus (2) is advantageously utilizable also within a system of a type shown in Fig. 8,


10

15

20

25

30




according to which there is provided the union of an embossed web (5) with a smooth or non-embossed web (6) by means of a unique embossing group (3, 4) which operates the embossing of only one of the two webs. The operation of the apparatus (2) is identical to that previously described with reference to the schematic diagram of Fig. 5A.

The present apparatus is also advantageously utilizable also within a system of a type shown in Fig. 9, according to which there is provided the union of two webs (5, 6) which are both embossed by a unique embossing group (3, 4). Also in this case, the operation of the apparatus (2) is identical to that described with reference to the schematic diagram of Fig. 5A. Moreover, the present apparatus is also advantageously utilizable also within a system of a type shown in Fig. 10A, wherein no embossing is provided prior to the union of the paper webs. The cylinder (4) may be of a type provided either with simple pyramidal surface cuts, as illustrated in Fig. 10A, or with surface reliefs of a preset shape and design (401) and distributed over the surface of the same cylinder according to a predetermined order, as illustrated in Fig. 12A. In the latter case, the roller (2) may be advantageously of a type like the one represented in Fig. 6D, with the hard surface (20) fully covering the elastic surface (23). Also in this case, the operation of the apparatus (2) is identical to that described with reference to the schematic diagram of Fig. 5A.

The cylinder (4) represented in Fig. 11A may be advantageously used within the scheme of Fig. 5A. Such cylinder exhibits pyramidal surface cuts (400) - shown in the drawing with a grid-like filling - and reliefs (401) of predetermined shape and size.

10

15



In view of the union of the two paper webs (5, 6) which, as previously set forth, may be multiple webs, an operating method according to the present invention includes compressing the paper webs between a pressure roller or cylinder (2) and an impression roller or cylinder (4), the said impression cylinder being provided with surface reliefs and/or depressions, and the outer surface of said pressure cylinder being a hard surface.

According to the method of the present invention, the said cylinder (4) may also be an embossing cylinder.

The construction details may vary in any equivalent way as far as the shape, dimensions, elements disposition, nature of the used materials are concerned, without nevertheless departing from the scope of the adopted solution idea and, thereby, remaining within the limits of the protection granted to the present patent.

15




CLAIMS


- 1) Apparatus for continually joining paper webs, comprising means able to compress the said webs (5, 6) onto an impression cylinder or roller (4) while the webs advance toward an outlet section of the apparatus, characterized in that the said compressive means include a roller or cylinder (2) which exhibits a hard outer surface (20) supported by an underlying elastic surface (23).
- 2) Apparatus according to claim 1, characterized in that the 10 said elastic surface (23) is in turn supported by a rigid surface (21).
 - 3) Apparatus according to claim 1, characterized in that the said outer surface (20) of said compression roller (2) is made up of a helicoidal body having preset pitch and direction and being applied on said elastic surface (23).
 - 4) Apparatus according to claim 1, characterized in that the said outer surface (20) sheathes completely the said elastic surface (23).
- 5) Apparatus according to one or more of the preceding 20 claims, characterized in that the outer surface (20) of said compression roller (2) is made of steel.
 - 6) Apparatus according to one or more of the preceding claims, characterized in that the elastic surface (23) of said compression roller (2) is made of rubber.
- 7) Apparatus according to claim 1, characterized in that the said impression cylinder (4) is provided with surface reliefs and/or depressions.
 - 8) Apparatus according to claim 1, characterized in that the said impression cylinder (4) is an embossing cylinder.
- 30 9) Method for carrying out the union of two paper webs (5, 6) by a mutual compression of the concerned webs, characterized in that it includes compressing the said webs between a





pressure roller or cylinder (2) provided with a hard outer surface and an impression roller or cylinder (4) provided with surface reliefs and/or depressions.


10) Method according to claim 9 characterized in that the 5 said impression cylinder is an embossing cylinder (4).





















Fig. 7









A. CLASSIFICATION OF SUBJECT MATTER IPC 7 B31F1/07 B65H39/14

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 B31F B65H F16C

regumentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic deta base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

*legory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to daim No.
Α	US 6 053 232 A (BIAGIOTTI GUGLIELMO) 25 April 2000 (2000-04-25) column 4, line 1 -column 4, line 17; figures 1,4A,7	1,8
X	DE 100 43 989 A (A & E UNGRICHT GMBH & CO KG) 29 March 2001 (2001-03-29)	9,10
Α .	column 1, line 6 -column 3, line 35; figures 1,3-5,9,10	1,3,7,8
A	US 5 240 666 A (LEHMANN ROLF ET AL) 31 August 1993 (1993-08-31) column 5, line 32 -column 5, line 47; figures 1,2	1,9
	-/	

Patent family members are listed in annex.		
"T" later document published after the international filing date		
or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention		
"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to		
involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the		
document is combined with one or more other such docu- ments, such combination being obvious to a person skilled		
in the art. "&" document member of the same patent family		
Date of mailing of the international search report		
19/04/2004		
Authorized officer		
Fachin, F		

INTERNATION SEARCH REPORT

Inte of plication No
PCT/I 3/00849

		PCT/17-33/00849
Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 14, 31 December 1998 (1998-12-31) & JP 10 249916 A (SEKISUI CHEM CO LTD), 22 September 1998 (1998-09-22) abstract	1,2,4,8
X A	US 2001/019757 A1 (WENDLER ROGER E) 6 September 2001 (2001-09-06) paragraphs '0021!-'0024!; figures 1,2	9,10
		·

INTERNATIONAL SEARCH REPORT

on patent family members

Inte opplication No PCT/I 3/00849

		101/11-03/00049			
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 6053232	Α	25-04-2000	IT	FI950249 A1	05-06-1997
00 000000	<i>'</i> \	20 0 . 2000	ĀŤ	185515 T	15-10-1999
			ΑÜ	1108397 A	27-06-1997
			BR	9611684 A	02-03-1999
			CA	2239373 A1	
			CN	1203549 A	30-12-1998
			DE	69604696 DI	
			DE	69604696 T2	
			EP	0868301 A	
			ES	2138391 T3	
			GR	3032216 T3	
			IL	124775 A	30-04-2001
			MO	9720687 A	
			JP	2000501348 T	08-02-2000
			PL	327327 A	
			RU	2162415 C	
				2102415 C	
DE 10043989	Α	29-03-2001	DE	10043989 A	1 29-03-2001
			DE	10043984 A	1 22-03-2001
			IT	MI20001964 A	1 07-03-2002
US 5240666	A	31-08-1993	СН	682893 A	5 15-12-1993
			ΑT	143429 T	15-10-1996
•			CA	2086007 A	1 04-11-1992
			DE	4125613 A	1 05-11-1992
			DE	4126232 A	1 12-11-1992
		•	DE	59207239 D	
			WO	9219809 A	
			EP	0537315 A	1 21-04-1993
			FΙ	921554 A	04-11-1992
			FI	925440 A	30-11-1992
			ΙT	1255300 B	31-10-199!
			US	5393290 A	28-02-199!
JP 10249916	Α	22-09-1998	NONE		
US 2001019757	A1	06-09-2001	US	6245273 B	1 12-06-200
			CA	2291386 A	
			ÜS	2001019756 A	